


Newport Beach - 7-story Hospital CGS/OSHPD Sta 13291

Rc'd of Fri Jun 10, 2016 01:04:59.0 PDT

Frequency Band Processed: 10.0 secs to 40.0 Hz

CISN/CSMIP Preliminary Strong Motion Processing - Subject to Revision




Newport Beach - 7-story Hospital CGS/OSHPD Sta 13291

Rc'd of Fri Jun 10, 2016 01:04:59.0 PDT

Frequency Band Processed: 10.0 secs to 40.0 Hz

CISN/CSMIP Preliminary Strong Motion Processing - Subject to Revision




Newport Beach - 7-story Hospital CGS/OSHPD Sta 13291

Rc'd of Fri Jun 10, 2016 01:04:59.0 PDT

Frequency Band Processed: 10.0 secs to 40.0 Hz

CISN/CSMIP Preliminary Strong Motion Processing - Subject to Revision




Newport Beach - 7-story Hospital CGS/OSHPD Sta 13291


Rc'd of Fri Jun 10, 2016 01:04:59.0 PDT

Frequency Band Processed: 10.0 secs to 40.0 Hz

CISN/CSMIP Preliminary Strong Motion Processing - Subject to Revision



Newport Beach - 7-story Hospital CGS Sta 13291
 Rcrd of Fri Jun 10, 2016 01:04:59.0 PDT
 Frequency Band Processed: 10.0 secs to 40.0 Hz
 Automated Strong Motion Processing - Preliminary and Subject to Revision



Newport Beach - 7-story Hospital CGS Sta 13291
 Rcrd of Fri Jun 10, 2016 01:04:59.0 PDT
 Frequency Band Processed: 10.0 secs to 40.0 Hz
 Automated Strong Motion Processing - Preliminary and Subject to Revision

